



1-800-524-5427

sales@icswaco.com

www.icswaco.com

P.O. Box 21056 Waco, TX 76702-1056



	<h2>CAREALL NON-ASPIRIN</h2>
	<p>SKU: ACT32524</p>
	<p><i>Compare to the active ingredients in Tylenol®.</i></p> <p>For temporary relief of minor aches and pains associated with: common cold, headache, toothache, muscular aches, backache, arthritis, menstrual cramps, and reduction in fever.</p> <p>Each tablet contains: Acetaminophen 325mg</p>
<p>Pack</p>	<p>100 ct./24 Bottles Per Box</p>
<p>Weight</p>	<p>4 lbs. per box</p>
<p>Ingredients</p>	<p>Active Ingredients: Acetaminophen – 325 mg</p> <p>Other Ingredients: Corn starch, pregelatinized starch, stearic acid. May contain povidone and sodium starch glycolates.</p>
<p>Uses</p>	<p>Temporarily relieves occasional headaches and minor aches and pains with accompanying sleeplessness.</p>
<p>Directions</p>	<ul style="list-style-type: none"> • Do not use more than directed. (see overdose warning) • Adults and children 12 years of age and older: Take 2 caplets at bedtime. Do not take more than 2 caplets in 24 hours • Children under 12 years: do not use
<p>Other Information</p>	<ul style="list-style-type: none"> • Store between 20-25 C (68-77 F) • Do not use if imprinted safety seal under the cap is broken or missing



1-800-524-5427

sales@icswaco.com

www.icswaco.com

P.O. Box 21056 Waco, TX 76702-1056



Warnings

Liver Warning: This product contains Acetaminophen. Severe liver damage may occur if you take

- more than 4000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash.

- If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have even had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- do not drive a motor vehicle or operate machinery
- avoid alcoholic drinks

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness
- pain gets worse or last for more than 10 days.
- fever gets worse or last for more than 3 days
- redness or swelling are present
- new symptoms occur. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.